

## 1. Product and Company Identification

**Product Code:** 01070  
**Product Name:** Ammoniated Wax Stripper  
**Company Name:** Genlabs **Phone Number:**  
 5568 Schaefer Ave. 1 (909)591-8451  
 Chino, CA 91710  
**Web site address:** www.genlabscorp.com  
**Emergency Contact:** Chemtrec 1 (800)424-9300

**Recommended Use:** Floor Stripper  
**Intended Use:** For sale to, use and storage by service persons only.

## 2. Hazards Identification

**Acute Toxicity: Oral, Category 4**  
**Skin Corrosion/Irritation, Category 1C**  
**Acute Toxicity: Inhalation, Category 4**



**GHS Signal Word:** **Danger**  
**GHS Hazard Phrases:** Harmful if swallowed.  
 Causes severe skin burns and eye damage.  
 Harmful if inhaled.

**GHS Precaution Phrases:** Wash hands thoroughly after handling.  
 Keep out of reach of children.  
 Do not eat, drink or smoke when using this product.  
 Wear protective gloves, protective clothing, eye protection, face protection.  
 Use only outdoors or in a well-ventilated area.

**GHS Response Phrases:** If on skin (or in hair): Wash with plenty of soap and water.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If swallowed: Call a Poison Center or doctor if you feel unwell.  
 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**GHS Storage and Disposal Phrases:** Store in cool dry place at room temperature away from direct sunlight.  
 Dispose of contents and container according to the local, city, state and federal regulations.

**Potential Health Effects (Acute and Chronic):**

**Inhalation:** May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

**Skin Contact:** May be harmful if absorbed through the skin. Causes skin burns.

**Eye Contact:** Causes eye burns.

**Ingestion:** Harmful if swallowed. Causes burns.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	Proprietary
7664-41-7	Ammonia	Proprietary

### 4. First Aid Measures

**Emergency and First Aid Procedures:**

- In Case of Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
- In Case of Skin Contact:** Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.
- In Case of Eye Contact:** Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
- Signs and Symptoms Of Exposure:** Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath,
- To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

**Note to Physician:** Treat symptomatically and supportively.

### 5. Fire Fighting Measures

- Flash Pt:** NE
- Explosive Limits:** LEL: N/A UEL: N/A
- Autoignition Pt:** NE
- Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
- Flammable Properties and Hazards:** No data available.

### 6. Accidental Release Measures

- Steps To Be Taken In Case Material Is Released Or Spilled:** Use personal protective equipment. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways.

### 7. Handling and Storage

- Precautions To Be Taken in Handling:** Use with adequate ventilation. Avoid ingestion and inhalation. Wash hands thoroughly after handling. Store away from incompatible material. Do not get in eyes, on skin, or on clothing. Avoid breathing dust, vapor, mist, or gas.
- Precautions To Be Taken in Storing:** Keep container tightly closed in a dry and well-ventilated place. Store in a cool, dry, well-ventilated area away from incompatible substances.

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	No data.	No data.	No data.
7664-41-7	Ammonia	PEL: 50 ppm	TLV: 25 ppm STEL: 35 ppm	No data.

- Respiratory Equipment (Specify Type):** Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
- Eye Protection:** Face shield and safety glasses.
- Protective Gloves:** Handle with gloves.
- Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.
- Engineering Controls (Ventilation etc.):** Use adequate ventilation to keep airborne concentrations low.
- Work/Hygienic/Maintenance Practices:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## 9. Physical and Chemical Properties

- Physical States:** [ ] Gas [ X ] Liquid [ ] Solid
- Appearance and Odor:** Green color liquid with ammonia odor.
- Melting Point:** NE
- Boiling Point:** >= 212.00 F
- Decomposition Temperature:** NE
- Autoignition Pt:** NE
- Flash Pt:** NE
- Explosive Limits:** LEL: N/A UEL: N/A
- Specific Gravity (Water = 1):** 1.020
- Density:** 8.50 LB/GA
- Vapor Pressure (vs. Air or mm Hg):** NE
- Vapor Density (vs. Air = 1):** NE
- Evaporation Rate:** NE
- Solubility in Water:** 100%
- Saturated Vapor Concentration:** NE
- Viscosity:** NP
- pH:** 11.5 - 12.5
- Percent Volatile:** No data.
- VOC / Volume:** 50.0000 G/L

### 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]

**Conditions To Avoid - Instability:** Extremes of temperature and direct sunlight.

**Incompatibility - Materials To Avoid:** Strong oxidizers, ammonia, bleach, strong acids and strong alkali materials.

**Hazardous Decomposition Or Byproducts:** formed under fire conditions. Sodium oxides, silicon oxides. nitrogen oxides (NOx).

**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]

**Conditions To Avoid - Hazardous Reactions:** None.

### 11. Toxicological Information

**Toxicological Information:** No data available.

**Carcinogenicity/Other Information:** Carcinogenicity.  
 IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
 ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	n.a.	n.a.	n.a.	n.a.
7664-41-7	Ammonia	n.a.	n.a.	n.a.	n.a.

### 12. Ecological Information

**Persistence and Degradability:** No data available.

### 13. Disposal Considerations

**Waste Disposal Method:** Dispose of contents and container according to the local, city, state and federal regulations.

### 14. Transport Information

**LAND TRANSPORT (US DOT):**  
**DOT Proper Shipping Name:** NOT REGULATED FOR DOMESTIC TRANSPORT.  
**DOT Hazard Class:**  
**UN/NA Number:**

### 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	No	No	No
7664-41-7	Ammonia	Yes 500 LB	Yes 100 LB	Yes


CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	CA PROP.65: No; CA TAC, Title 8: No
7664-41-7	Ammonia	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

### 16. Other Information

**Hazard Rating System:**

HEALTH		3
FLAMMABILITY		0
PHYSICAL		0
PPE		H

**HMIS:**



**Revision Date:** 03/17/2015

**Additional Information About This Product:** No data available.

**This Product:**

**Company Policy or Disclaimer:** The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.