

Web site address:

SAFETY DATA SHEET

Lightning Fast Wax Stripper

Page: 1 Printed: 07/21/2015

Revision: 02/27/2015 Supersedes Revision: 10/14/2013

1. Product and Company Identification

Product Code: 01949

Lightning Fast Wax Stripper **Product Name:**

Genlabs **Phone Number:** Company Name: 1 (909)591-8451

5568 Schaefer Ave.

www.genlabscorp.com

Chino, CA 91710

Chemtrec 1 (800)424-9300 **Emergency Contact:**

Recommended Use: Floor Stripper

Intended Use: For sale to, use and storage by service persons only.

Additional Information: 3434903

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Oral, Category 4 Acute Toxicity: Skin, Category 4 Skin Corrosion/Irritation, Category 1B

Serious Eye Damage/Eye Irritation, Category 2B





Danger GHS Signal Word:

GHS Hazard Phrases: Harmful if inhaled.

Harmful if swallowed.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

Causes eye irritation.

GHS Precaution Phrases: Use only outdoors or in a well-ventilated area.

> Avoid breathing fumes and spray mist. Wash hands thoroughly after handling.

Keep out of reach of children.

Do not eat, drink or smoke when using this product.

Wear protective gloves, protective clothing, eye protection, face protection.

Do not breathe dust, fumes, mist, vapors, spray.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for **GHS Response Phrases:**

breathing.

If swallowed: Call a Poison Center or doctor if you feel unwell. If on skin (or in hair): Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

GHS Storage and Disposal

Store in cool dry place at room temperature away from direct sunlight.

Dispose of contents and container according to the local, city, state and federal Phrases:

regulations.



Lightning Fast Wax Stripper

Page: 2
Printed: 07/21/2015
Revision: 02/27/2015
Supersedes Revision: 10/14/2013

Potential Health Effects (Acute and Chronic):

Prolonged or repeated eye contact may cause conjunctivitis.

Prolonged or repeated skin contact may cause dermatitis.

Effects may be delayed.

Inhalation: Irritating to the nose, throat and respiratory tract. Avoid breathing vapors or mists.

Skin Contact: Irritant. Corrosive, causes skin burning. Avoid prolonged skin contact during handling.

Eye Contact: Corrosive. Can cause permanent eye damage with contact. Avoid any eye contact.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and

diarrhea. May cause severe and permanent damage to the digestive tract. Causes

gastrointestinal tract burns.

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration

111-76-2 Ethanol, 2-Butoxy- Proprietary

1310-58-3 Potassium hydroxide Proprietary

78-96-6 1-Amino-2-Propanol Proprietary

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. If skin irritation or rash occurs, seek medical attention.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep

eyes closed.

In Case of Ingestion: Get medical aid immediately. If victim is conscious and alert, give 2-4 cupfuls of milk or

water. Never give anything by mouth to an unconscious person.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: N.E. UEL: N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: Dry chemical, CO2, alcohol-resistant foam or water spray.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

No data available.

Hazards:



Lightning Fast Wax Stripper

Page: 3 Printed: 07/21/2015 Revision: 02/27/2015 10/14/2013 Supersedes Revision:

6. Accidental Release Measures

Steps To Be Taken In Case

Material Is Released Or Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place

in suitable container. Prevent runoff from entering drains, sewers, or streams.

Handling and Storage

Precautions To Be Taken in Handling:

Do not get in eyes, on skin, or on clothing. Keep away from heat, sparks and flame. Do not ingest or inhale. Wash thoroughly after handling. Do not breathe dust, mist, or vapor.

Keep container tightly closed. Discard contaminated shoes. Remove contaminated

clothing and wash before reuse. Use only with adequate ventilation.

Precautions To Be Taken in

Store in a cool, dry, well-ventilated area away from incompatible substances.

Storing:

Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
1310-58-3	Potassium hydroxide	No data.	CEIL: 2 mg/m3	No data.
78-96-6	1-Amino-2-Propanol	No data.	No data.	No data.

Respiratory Equipment

Always use a NIOSH approved respirator when necessary.

(Specify Type):

Goggles and face shield. **Eye Protection:**

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

Use with adequate ventilation.

(Ventilation etc.):

9. Physical and Chemical Properties

[] Gas [X] Liquid **Physical States:** [] Solid

Appearance and Odor: Amber colored liquid with solvent fragrance.

Melting Point: No data. 212.00 F **Boiling Point: Autoignition Pt:** NE Flash Pt: NE

LEL: N.E. UEL: N.E. **Explosive Limits:**

NE

NE

1.040 Specific Gravity (Water = 1): Density: 8.67 lbs/gal

Vapor Pressure (vs. Air or

Evaporation Rate:

mm Hg):

NE Vapor Density (vs. Air = 1):

100% Solubility in Water:

Genlabs

Lightning Fast Wax Stripper

Page: 4
Printed: 07/21/2015
Revision: 02/27/2015

Supersedes Revision: 10/14/2013

Saturated Vapor NE

Concentration:

Viscosity: NP

pH: 12 - 14
Percent Volatile: No data.
VOC / Volume: 312.0000 GL

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid -

No specific conditions to avoid noted.

Instability:

Incompatibility - Materials To Strong oxidizing agents, Strong acids.

Avoid:

Hazardous Decomposition Or CO, CO2.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -

None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other

CAS# 111-76-2: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to

Information:

humans.

California: Not listed. NTP: Not listed.

IARC: Not listed. CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 75-31-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	A3	n.a.
1310-58-3	Potassium hydroxide	n.a.	n.a.	n.a.	n.a.
78-96-6	1-Amino-2-Propanol	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal

regulations.



Lightning Fast Wax Stripper

Page: 5 Printed: 07/21/2015

Revision: 02/27/2015 Supersedes Revision: 10/14/2013

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Quart: Limited quantity.

Gallon or higher: NA1760, Compounds, Cleaning Liquid, (Contains Potassium

Hydroxide), 8, II.

DOT Hazard Class: CORROSIVE

UN/NA Number: NA1760 **Packing Group:** Ш



Regulatory Information

CAS# **Hazardous Components (Chemical Name)** Other US EPA or State Lists

111-76-2 Ethanol, 2-Butoxy-CA PROP.65: No; CA TAC, Title 8: TAC, Title 8 CA PROP.65: No; CA TAC, Title 8: Title 8 1310-58-3 Potassium hydroxide 78-96-6 1-Amino-2-Propanol CA PROP.65: No; CA TAC, Title 8: No

16. Other Information

Hazard Rating System:



Health

Flammability

NFPA: Special Hazard

Instability

HMIS:

02/27/2015 **Revision Date:**

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.