


1. Product and Company Identification

Product Code:	02076	
Product Name:	Super Porcelain, Tile & Chrome Cleaner	
Company Name:	Genlabs	Phone Number:
	5568 Schaefer Ave.	1 (909)591-8451
	Chino, CA 91710	
Web site address:	www.genlabscorp.com	
Email address:	sol@genlabscorp.com	
Emergency Contact:	Chemtrec	1 (800)424-9300
Recommended Use:	Bathroom Cleaner	
Intended Use:	For sale to, use and storage by service persons only.	

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B
Specific Target Organ Toxicity (single exposure), Category 3
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Serious Eye Damage/Eye Irritation, Category 1
Acute Toxicity: Inhalation, Category 4



GHS Signal Word:	Danger
GHS Hazard Phrases:	H314 - Causes severe skin burns and eye damage. H335 - May cause respiratory irritation. H302 - Harmful if swallowed. H312 - Harmful in contact with skin. H318 - Causes serious eye damage. H332 - Harmful if inhaled.
GHS Precaution Phrases:	P260 - Do not breathe dust, fumes, mist, vapors, spray. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P261 - Avoid breathing fumes and spray mist. P271 - Use only outdoors or in a well-ventilated area. P270 - Do not eat, drink or smoke when using this product.
GHS Response Phrases:	P303+361+353 - If on skin (or in hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 - Wash contaminated clothing before reuse. P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+330+331 - If swallowed: Rinse mouth. Do NOT induce vomiting. P301+310 - If swallowed: Immediately call a Poison Center or doctor. P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P302+352 - If on skin (or in hair): Wash with plenty of soap and water.
GHS Storage and Disposal Phrases:	P501 - Dispose of contents and container according to the local, city, state and federal regulations. P411+235 - Store in cool dry place at room temperature away from direct sunlight.

Super Porcelain, Tile & Chrome Cleaner

Printed: 07/08/2019

Revision: 06/18/2018

Supersedes Revision: 02/25/2015

Inhalation:	Causes chemical burns to the respiratory tract. Causes respiratory tract irritation. Harmful if inhaled.
Skin Contact:	Causes skin burns. Causes skin irritation. Harmful if absorbed through the skin. Substance is rapidly absorbed through the skin. Causes symptoms similar to those of inhalation.
Eye Contact:	Risk of serious damage to eyes. Causes eye burns. Causes eye irritation. May cause chemical conjunctivitis. Causes redness and pain.
Ingestion:	Causes gastrointestinal tract burns. May cause irritation of the digestive tract. Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May be fatal if swallowed.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
7664-38-2	Phosphoric acid	Proprietary	
7647-01-0	Hydrochloric acid	Proprietary	
111-76-2	Ethanol, 2-Butoxy-	Proprietary	

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation:	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.
In Case of Ingestion:	Never give anything by mouth to an unconscious person. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Wash mouth out with water. Call a poison control center.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt:	NE
Explosive Limits:	LEL: N/A UEL: N/A
Autoignition Pt:	NE
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or chemical foam.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Flammable Properties and Hazards:	No data available.
Hazardous Combustion Products:	No data available.

Super Porcelain, Tile & Chrome Cleaner

Printed: 07/08/2019

Revision: 06/18/2018

Supersedes Revision: 02/25/2015

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways.

7. Handling and Storage

Precautions To Be Taken in Handling: Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Avoid breathing dust, vapor, mist, or gas. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use with adequate ventilation. Wash clothing before reuse.

Precautions To Be Taken in Storing: Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7664-38-2	Phosphoric acid	PEL: 1 mg/m ³	TLV: 1 mg/m ³ STEL: 3 mg/m ³	No data.
7647-01-0	Hydrochloric acid	CEIL: 5 ppm	CEIL: 2 ppm)	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.

Respiratory Equipment (Specify Type): Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Wear chemical splash goggles. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Use adequate ventilation to keep airborne concentrations low.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Green color liquid with mint fragrance.

pH: ~ 0.50 - 2.00

Melting Point: NE

Boiling Point: >= 212.00 F

Flash Pt: NE

Evaporation Rate: NE

Flammability (solid, gas): No data available.

Explosive Limits: LEL: N/A UEL: N/A

Vapor Pressure (vs. Air or mm Hg): NE

Vapor Density (vs. Air = 1): NE

Super Porcelain, Tile & Chrome Cleaner

Printed: 07/08/2019

Revision: 06/18/2018

Supersedes Revision: 02/25/2015

Specific Gravity (Water = 1): ~ 1.100
Density: ~ 9.174 LB/GA
Bulk density: NE
Solubility in Water: 100%
Saturated Vapor Concentration: NE
Octanol/Water Partition Coefficient: No data.
VOC / Volume: 10.0000 G/L
Autoignition Pt: NE
Decomposition Temperature: NE
Viscosity: NP
Particle Size: NE
Heat Value: NE
Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable []
Conditions To Avoid - Instability: Excess heat.
Incompatibility - Materials To Avoid: Strong oxidizing agents, Reacts with most common metals to produce hydrogen gas. Is corrosive to many materials including leather, rubber, and many organics. Strong bases, Aluminum.
Hazardous Decomposition or Byproducts: Phosphine, oxides of phosphorus, hydrogen gas. Carbon monoxide, Carbon dioxide.
Possibility of Hazardous Reactions: Will occur [] Will not occur []
Conditions To Avoid - Hazardous Reactions: None.

11. Toxicological Information

Toxicological Information: No data available.
Carcinogenicity/Other Information: CAS# 7664-38-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7647-01-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 111-76-2: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to humans.
 California: Not listed.
 NTP: Not listed.
 IARC: Not listed.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7664-38-2	Phosphoric acid	n.a.	n.a.	n.a.	n.a.
7647-01-0	Hydrochloric acid	n.a.	3	A4	n.a.
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	A3	n.a.

Super Porcelain, Tile & Chrome Cleaner

Printed: 07/08/2019

Revision: 06/18/2018

Supersedes Revision: 02/25/2015

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Quart and one gallon: Limited Quantity.
Five Gallons or Higher: NA1760, Compounds, Cleaning Liquid, (Contains Phosphoric Acid and Hydrochloric Acid), 8, II.

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: NA1760 **Packing Group:** II



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Phosphoric Acid and Hydrochloric Acid), 8, II.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Phosphoric Acid and Hydrochloric Acid), 8, II.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Phosphoric Acid and Hydrochloric Acid), 8, II.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7664-38-2	Phosphoric acid	No	Yes 5000 LB	No
7647-01-0	Hydrochloric acid	Yes 500 LB	Yes 5000 LB	Yes
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230

This material meets the EPA Yes No Acute (immediate) Health Hazard
'Hazard Categories' defined Yes No Chronic (delayed) Health Hazard
for SARA Title III Sections Yes No Fire Hazard
311/312 as indicated: Yes No Sudden Release of Pressure Hazard
 Yes No Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7664-38-2	Phosphoric acid	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
7647-01-0	Hydrochloric acid	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
111-76-2	Ethanol, 2-Butoxy-	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

Super Porcelain, Tile & Chrome Cleaner

Printed: 07/08/2019

Revision: 06/18/2018

Supersedes Revision: 02/25/2015


16. Other Information

Revision Date: 06/18/2018

Hazard Rating System:

HEALTH		3
FLAMMABILITY		0
PHYSICAL		0
PPE		H

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.