

SAFETY DATA SHEET
Mirage Plus Floor Finish

1. Product and Company Identification

Product Code: 09018
Product Name: Mirage Plus Floor Finish
Company Name: Genlabs
5568 Schaefer Ave.
Chino, CA 91710
Phone Number: 1 (909)591-8451
Web site address: www.genlabscorp.com
Email address: sol@genlabscorp.com
Emergency Contact: Chemtrec 1 (800)424-9300
Recommended Use: Floor Finish
Intended Use: For sale to, use and storage by service persons only.
Additional Information: HGFS QT 6/1

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Skin Corrosion/Irritation, Category 3
Serious Eye Damage/Eye Irritation, Category 2A
Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: **Warning**
GHS Hazard Phrases: H332 - Harmful if inhaled.
H302 - Harmful if swallowed.
H316 - Can cause mild skin irritation.
H319 - Can cause serious eye irritation.
H335 - May cause respiratory irritation.
GHS Precaution Phrases: P271 - Use only outdoors or in a well-ventilated area.
P261 - Avoid breathing fumes and spray mist.
P264 - Wash hands thoroughly after handling.
P280 - - Wear protective gloves and eye/face protection as specified by the supplier or the competent authority.
GHS Response Phrases: P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell.
P302+352 - If on skin (or in hair): Wash with plenty of soap and water. P333+313 - If skin irritation or rash occurs, seek medical attention.
P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 - If eye irritation persists, get medical attention immediately.
GHS Storage and Disposal Phrases: P501 - Dispose of contents and container according to the local, city, state and federal regulations.
P411+235 - Store in cool dry place at room temperature away from direct sunlight.

SAFETY DATA SHEET

Mirage Plus Floor Finish

Page: 2

Printed: 11/19/2021

Revision: 11/04/2020

Supersedes Revision: 10/30/2014

Inhalation: High vapor concentrations may cause drowsiness. May cause respiratory tract irritation.

Skin Contact: Can cause mild skin irritation.

Eye Contact: Causes eye irritation.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
111-90-0	Diethylene glycol monoethyl ether	1.0 -5.0 %	
25265-77-4	Texanol	2.0 %	
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	2.0 %	
25987-66-0	Acrylic acid polymer	10.0 -20.0 %	
1314-13-2	Zinc oxide	1.0 %	

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathing is difficult, give oxygen. Get medical aid. Remove from exposure and move to fresh air immediately.

In Case of Skin Contact: Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. In case of contact, immediately wash skin with soap and copious amounts of water.

In Case of Eye Contact: Get medical aid. Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water.

Signs and Symptoms Of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: N.E. UEL: N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.

Flammable Properties and

Hazards:

Hazardous Combustion

Products:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.
 Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Provide ventilation. Prevent runoff from entering drains, sewers, or streams.

7. Handling and Storage

Precautions To Be Taken in Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. If peroxide formation is suspected, do not open or move container. Keep container tightly closed. Keep away from heat, sparks and flame.

Precautions To Be Taken in Storing: Keep away from heat, sparks and flame. Keep away from sources of ignition. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-90-0	Diethylene glycol monoethyl ether			
25265-77-4	Texanol			
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)			
25987-66-0	Acrylic acid polymer			
1314-13-2	Zinc oxide	PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	

Respiratory Equipment (Specify Type): Always use a NIOSH approved respirator when necessary.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Work/Hygienic/Maintenance Practices: Wash thoroughly after handling. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Opaque white liquid with bland odor.

pH: 7.5 - 9.0

Melting Point: NP

Boiling Point: > 212.00 F

Flash Pt: NE

Evaporation Rate: NE

Flammability (solid, gas):

Explosive Limits: LEL: N.E. UEL: N.E.

Vapor Pressure (vs. Air or mm Hg): NE

Vapor Density (vs. Air = 1): NE

SAFETY DATA SHEET

Mirage Plus Floor Finish

Page: 4

Printed: 11/19/2021

Revision: 11/04/2020

Supersedes Revision: 10/30/2014

Specific Gravity (Water = 1): 1.020
Density: 8.50 lbs/gal
Bulk density: NE
Solubility in Water: 100%
Saturated Vapor Concentration: NE
Octanol/Water Partition Coefficient:
VOC / Volume: < 1.0000 G/L
Autoignition Pt: NE
Decomposition Temperature: NP
Viscosity: NP
Particle Size: NE
Heat Value: NE
Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids.
Incompatibility - Materials To Avoid: Cationic materials, strong oxidizers, strong acidic materials.
Hazardous Decomposition or Byproducts: Carbon monoxide, Carbon dioxide, Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: None.

11. Toxicological Information

Toxicological Information:

Carcinogenicity/Other Information: CAS# 111-90-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 25265-77-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
111-90-0	Diethylene glycol monoethyl ether				
25265-77-4	Texanol				
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)				
25987-66-0	Acrylic acid polymer				
1314-13-2	Zinc oxide				

12. Ecological Information

General Ecological Information: Environmental: Not readily biodegradable. No bioaccumulation is to be expected.
Physical: No information available.
Other: The Koc of diethylene glycol monoethyl ether is estimated as approximately 12,, using a measured log Kow of -0.54 and a regression-derived equation. According to a recommended classification scheme, this estimated Koc value suggests that diethylene glycol monoethyl ether has very high mobility in soil. No information found.
Physical: No information found.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
111-90-0	Diethylene glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
25265-77-4	Texanol	CA PROP.65: No; CA TAC, Title 8: No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
25987-66-0	Acrylic acid polymer	CA PROP.65: No; CA TAC, Title 8: No
1314-13-2	Zinc oxide	CA PROP.65: No; CA TAC, Title 8: Yes - Cat., Title 8

16. Other Information

Revision Date: 11/04/2020

Additional Information About PPE B: safety glasses; gloves.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.