	1. Product and Company Identification		
Product Code:			
Product Name: Company Name:	Prime Line Oven & Grill Cleaner Genlabs 5568 Schaefer Ave. Chino, CA 91710	Phone Number: 1 (909)591-8451	
Web site address: Email address: Emergency Contact:	www.genlabscorp.com sol@genlabscorp.com Chemtrec	1 (800)424-9300	
Recommended Use: Intended Use:	Oven Cleaner For sale to, use and storage by service	persons only.	

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Oral, Category 4 Skin Corrosion/Irritation, Category 1A Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: GHS Hazard Phrases:	Danger H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H319 - Can cause serious eye irritation. H332 - Harmful if inhaled.
GHS Precaution Phrases:	 P260 - Do not breathe dust, fumes, mist, vapors, spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves, protective clothing, eye protection, face protection.
GHS Response Phrases:	 P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell. P303+361+353 - If on skin (or in hair): Take off immediately all contaminated clothing. Rinse skin with water. P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician. P321 - Specific treatment see on this label. P330 - Rinse mouth. P337+313 - If eye irritation persists, get medical attention immediately. P363 - Wash contaminated clothing before reuse.
GHS Storage and Disposal Phrases:	P405 - Store locked up. P501 - Dispose of contents and container according to the local, city, state and federal regulations.

	3. Composition/Information on Ingredients
Ingestion:	Harmful if swallowed. May cause perforation of the digestive tract. Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. May cause systemic effects. Causes burns. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.
Eye Contact:	Contact may cause ulceration of the conjunctiva and cornea. Eye damage may be delayed. Causes redness and pain. May cause chemical conjunctivitis and corneal damage. Causes eye irritation.
Skin Contact:	Causes skin burns. Causes skin irritation. Harmful if absorbed through the skin. Substance is rapidly absorbed through the skin. Causes symptoms similar to those of inhalation.
Inhalation:	Harmful if inhaled. Irritation may lead to chemical pneumonitis and pulmonary edema. Causes chemical burns to the respiratory tract.
Potential Health Effects (Acute and Chronic):	Prolonged or repeated eye contact may cause conjunctivitis. Prolonged or repeated skin contact may cause dermatitis.

CAS #	Hazardous Components (Chemical Name)	Concentration	
1310-73-2	Sodium hydroxide	Proprietary	
6834-92-0	Silicic acid (H2SiO3), Disodium salt	Proprietary	
111-76-2	Ethanol, 2-Butoxy-	Proprietary	
1300-72-7	Sodium xylenesulfonate	Proprietary	

4. First Aid Measures

Emergency and First Aid Procedures:	
In Case of Inhalation:	Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen.
In Case of Skin Contact:	Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes). Continue rinsing eyes during transport to hospital.
In Case of Ingestion:	If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.
Note to Physician:	Treat symptomatically and supportively.

5. Fire Fighting Measures				
Flash Pt:	NE			
Explosive Limits:	LEL: N/A N.E. UEL: N/A N.E.			
Autoignition Pt:	NE			
Suitable Extinguishing Media	a:Use dry chemical, carbon dioxide, or alcohol-resistant foam.			
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.			
Flammable Properties and Hazards:	No data available.			
Hazardous Combustion	No data available.			
Products:				
	6. Accidental Release Measures			
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Clean up spills immediately, observing precautions in the Protective Equipment section. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways.			
7. Handling and Storage				
Precautions To Be Taken in Handling:	Wash thoroughly after handling. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Avoid ingestion and inhalation.			
Precautions To Be Taken in Storing:	Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from water.			

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No data.	No data.	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
1300-72-7	Sodium xylenesulfonate	No data.	No data.	No data.

Personal Protective Equipment Symbols:

Respiratory Equipment

Always use a NIOSH approved respirator when necessary.

(Specify Type):	
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Face shield and safety glasses.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

	9. Physical and Chemical Properties
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	Colorless liquid with solvent odor.
pH:	~ 13.00 - 14.00
Melting Point:	NE
Boiling Point:	>= 212.00 F
Flash Pt:	NE
Evaporation Rate:	NE
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: N/A N.E. UEL: N/A N.E.
Vapor Pressure (vs. Air or	NE
mm Hg):	
Vapor Density (vs. Air = 1):	NE
Specific Gravity (Water = 1):	~ 1.080
Density:	~ 9.00 LB/GA
Bulk density:	NE
Solubility in Water:	100%
Saturated Vapor	NE
Concentration:	
Octanol/Water Partition	No data.
Coefficient:	
VOC / Volume:	25.0000 G/L
Autoignition Pt:	NE
Decomposition Temperature:	
Viscosity: Particle Size:	NP NE
Heat Value:	NE
Corrosion Rate:	NE
	10. Stability and Reactivity
Stability:	Unstable [] Stable [X]
Conditions To Avoid -	None.
Instability:	
Avoid:	Moisture, acids, Lead. Tin/tin oxides, Aluminum and Soft Metals. Strong oxidizing agents,
	Strong bases, Aluminum.
Hazardous Decomposition or Byproducts:	. 60, 602.
Possibility of Hazardous	Will occur [] Will not occur [X]
Reactions:	
Conditions To Avoid - Hazardous Reactions:	None.

11. Toxicological Information Toxicological Information: No data available.						
Toxicological Information:No data available.Carcinogenicity/OtherCAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CarcinogeInformation:IARC: No component of this product present at levels greater than or equal to identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to identified as a carcinogen or potential carcinogen by OSHA. California: Not list NTP: Not listed. IARC: Not listed.			I to 0.1% is to 0.1% is al to 0.1% is			
CAS #	Hazardous Co	mponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
1310-73-2	Sodium hydroxide		n.a.	n.a.	n.a.	n.a.
6834-92-0	Silicic acid (H2SiO3), Disodium salt		n.a.	n.a.	n.a.	n.a.
111-76-2	Ethanol, 2-Butoxy-		n.a.	3	A3	n.a.
1300-72-7	Sodium xylenesulfonate		n.a.	n.a.	n.a.	n.a.
		12. Ecological Ir	formation			
		No data available.				
		13. Disposal Con	sideration	S		
Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.			deral			
14. Transport Information						
LAND TRAN	SPORT (US DO	•				
DOT Proper Shipping Name: Quart and one gallon: Limited Quantity. Five Gallons or Higher: UN3266, Corrosive Liquid, Basic, Inorganic, n.o.s., (Contains Sodium Metasilicate Pentahydrate, Sodium						

DOT Proper Shipping Name: Quart and one gallon: Limited Quantity. Five Gallons or Higher: UN3266, Corrosive Liquid, Basic, Inorganic, n.o.s., (Contains Sodium Metasilicate Pentahydrate, Sodium Hydroxide), 8, II.

CORROSIVE

DOT Hazard Class: UN/NA Number:



Packing Group:

II

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-73-2	Sodium hydroxide	No	Yes 1000 LB	No
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No	No	No
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230
1300-72-7	Sodium xylenesulfonate	No	No	No

This material meets the EPA	[X] Yes [] No	Acute (immediate) Health Hazard
'Hazard Categories' defined	[]Yes [X]No	Chronic (delayed) Health Hazard
for SARA Title III Sections	[] Yes [X] No	Fire Hazard
311/312 as indicated:	[] Yes [X] No	Sudden Release of Pressure Hazard
	[] Yes [X] No	Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1310-73-2	Sodium hydroxide	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
6834-92-0	Silicic acid (H2SiO3), Disodium salt	CA PROP.65: No; CA TAC, Title 8: No
111-76-2	Ethanol, 2-Butoxy-	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
1300-72-7	Sodium xylenesulfonate	CA PROP.65: No; CA TAC, Title 8: No

16. Other Information

Revision Date:



Additional Information About No data available.

This Product:

Company Policy or Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.