

SAFETY DATA SHEET

Strike Bac Floor Finish

Page: 1

Printed: 07/13/2023

Revision: 07/13/2023

Supersedes Revision: 11/04/2020

1. Product and Company Identification

Product Code: 09877
Product Name: Strike Bac Floor Finish
Company Name: Genlabs
5568 Schaefer Ave.
Chino, CA 91710
Phone Number: 1 (909)591-8451
Web site address: www.genlabscorp.com
Email address: sol@genlabscorp.com
Emergency Contact: Chemtrec 1 (800)424-9300
Recommended Use: Floor Finish
Intended Use: For sale to, use and storage by service persons only.
Additional Information: 21996

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Skin Corrosion/Irritation, Category 3
Serious Eye Damage/Eye Irritation, Category 2A
Specific Target Organ Toxicity (single exposure), Category 3
Aquatic Toxicity (Acute), Category 3
Aquatic Toxicity (Chronic), Category 3



GHS Signal Word: **Warning**
GHS Hazard Phrases: H332 - Harmful if inhaled.
H302 - Harmful if swallowed.
H316 - Can cause mild skin irritation.
H319 - Can cause serious eye irritation.
H335 - May cause respiratory irritation.
H402 - Harmful to aquatic life.
H412 - Harmful to aquatic life with long lasting effects.
GHS Precaution Phrases: P261 - Avoid breathing fumes and spray mist.
P264 - Wash hands thoroughly after handling.
P102 - Keep out of reach of children.
P273 - Avoid release to the environment.
P280 - Wear protective gloves and eye/face protection as specified by the supplier or the competent authority.
GHS Response Phrases: P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell.
P302+352 - If on skin (or in hair): Wash with plenty of soap and water. P332+313 - If skin irritation occurs, get medical attention immediately.
P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 - If eye irritation persists, get medical attention immediately.
GHS Storage and Disposal Phrases: P501 - Dispose of contents and container according to the local, city, state and federal regulations.

SAFETY DATA SHEET

Strike Bac Floor Finish

Page: 2

Printed: 07/13/2023

Revision: 07/13/2023

Supersedes Revision: 11/04/2020

P411+235 - Store in cool dry place at room temperature away from direct sunlight.

Inhalation: May cause respiratory tract irritation.**Skin Contact:** Causes skin irritation.**Eye Contact:** Causes eye irritation.**Ingestion:** May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause central nervous system depression. May be harmful if swallowed. Moderately toxic to humans by ingestion.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
25987-66-0	Acrylic acid polymer	Proprietary	
111-90-0	Diethylene glycol monoethyl ether	Proprietary	
25722-45-6	2,5-Furandione, polymer with 1-propene	Proprietary	
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	Proprietary	
1314-13-2	Zinc oxide	Proprietary	
25265-77-4	Texanol	Proprietary	

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid.**In Case of Skin Contact:** Get medical aid if irritation develops and persists. Wash clothing before reuse. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.**In Case of Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation develops, get medical aid.**In Case of Ingestion:** Never give anything by mouth to an unconscious person. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Get medical aid immediately.**Note to Physician:** Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE**Explosive Limits:** LEL: N/A N.E. UEL: N/A N.E.**Autoignition Pt:** NE 0.00 C**Suitable Extinguishing Media:** Suitable: Substance is noncombustible. Use water spray, dry chemical, carbon dioxide, or appropriate foam.**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.**Flammable Properties and Hazards:** No data available.**Hazardous Combustion Products:** Hazardous decomposition products formed under fire conditions. Carbon oxides.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Clean up spills immediately, observing precautions in Protective Equipment section. Absorb on sand or vermiculite and place in closed containers for disposal.

7. Handling and Storage

Precautions To Be Taken in Handling: Do not get in eyes, on skin, or on clothing. Keep from freezing. Keep away from acids. Keep from contact with oxidizing materials.

Precautions To Be Taken in Storing: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep from freezing.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
25987-66-0	Acrylic acid polymer	No data.	No data.	No data.
111-90-0	Diethylene glycol monoethyl ether	No data.	No data.	No data.
25722-45-6	2,5-Furandione, polymer with 1-propene	No data.	No data.	No data.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No data.	No data.	No data.
1314-13-2	Zinc oxide	PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	No data.
25265-77-4	Texanol	No data.	No data.	No data.

Personal Protective Equipment Symbols:



Respiratory Equipment (Specify Type): Always use a NIOSH approved respirator when necessary.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to minimize contact with skin.

Engineering Controls (Ventilation etc.): No special ventilation requirements. General room ventilation is adequate.

Work/Hygienic/Maintenance Practices: General industrial hygiene practice. Wash thoroughly after handling. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Opaque white liquid with bland odor.

pH: ~ 7.50 - 9.00

Melting Point: NE

Boiling Point: >= 212.00 F

Flash Pt: NE

Evaporation Rate: NE

Flammability (solid, gas): No data available.

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Vapor Pressure (vs. Air or mm Hg): NE

Vapor Density (vs. Air = 1): NE

SAFETY DATA SHEET

Strike Bac Floor Finish

Page: 4

Printed: 07/13/2023

Revision: 07/13/2023

Supersedes Revision: 11/04/2020

Specific Gravity (Water = 1): ~ 1.038
Density: ~ 8.57 LB/GA
Bulk density: NE
Solubility in Water: 100%
Saturated Vapor Concentration: NE
Octanol/Water Partition Coefficient: No data.
VOC / Volume: < 1.0000 GL
Autoignition Pt: NE 0.00 C
Decomposition Temperature: NE
Viscosity: NP
Particle Size: NE
Heat Value: NE
Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids.
Incompatibility - Materials To Avoid: Cationic materials, strong oxidizers, strong acidic materials.
Hazardous Decomposition or Byproducts: CO, CO2.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: None.

11. Toxicological Information

Toxicological Information: No data available.
Irritation or Corrosion: No data available.
Carcinogenicity/Other Information: CAS# 111-90-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 1314-13-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 25265-77-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
25987-66-0	Acrylic acid polymer	n.a.	n.a.	n.a.	n.a.
111-90-0	Diethylene glycol monoethyl ether	n.a.	n.a.	n.a.	n.a.
25722-45-6	2,5-Furandione, polymer with 1-propene	n.a.	n.a.	n.a.	n.a.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide	n.a.	n.a.	n.a.	n.a.

SAFETY DATA SHEET

Strike Bac Floor Finish

25265-77-4	Texanol	n.a.	n.a.	n.a.	n.a.
------------	---------	------	------	------	------

12. Ecological Information

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Acute (immediate) Health Hazard
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Chronic (delayed) Health Hazard
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Fire Hazard
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Sudden Release of Pressure Hazard
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25987-66-0	Acrylic acid polymer	CA PROP.65: No; CA TAC, Title 8: No
111-90-0	Diethylene glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
25722-45-6	2,5-Furandione, polymer with 1-propene	CA PROP.65: No; CA TAC, Title 8: No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
1314-13-2	Zinc oxide	CA PROP.65: No; CA TAC, Title 8: Yes - Cat., Title 8
25265-77-4	Texanol	CA PROP.65: No; CA TAC, Title 8: No

SAFETY DATA SHEET

Strike Bac Floor Finish


16. Other Information

Revision Date: 07/13/2023

Hazard Rating System:

HEALTH		1
FLAMMABILITY		0
PHYSICAL		0
PPE		B

HMIS:



Additional Information About This Product: PPE B: safety glasses; gloves.

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.