

SAFETY DATA SHEET

One Pass Floor Stripper

Page: 1

Printed: 02/17/2026

Revision: 08/13/2024

Supersedes Revision: 08/02/2024

1. Product and Company Identification

Product Code: 05314
Product Name: One Pass Floor Stripper
Company Name: Genlabs
5568 Schaefer Ave.
Chino, CA 91710
Phone Number: 1 (909)591-8451

Web site address: www.genlabscorp.com
Emergency Contact: Chemtrec 1 (800)424-9300

Recommended Use: Floor Stripper
Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4

Acute Toxicity: Oral, Category 4

Skin Corrosion/Irritation, Category 1B

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Danger

GHS Hazard Phrases:

H332 - Harmful if inhaled.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H319 - Can cause serious eye irritation.

GHS Precaution Phrases:

P271 - Use only outdoors or in a well-ventilated area.

P261 - Avoid breathing fumes and spray mist.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves and eye/face protection as specified by the supplier or the competent authority.

GHS Response Phrases:

P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell.

P302+350 - If on skin (or in hair): Gently wash with plenty of soap and water.

P333+313 - If skin irritation or rash occurs, seek medical attention.

P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313 - If eye irritation persists, get medical attention immediately.

GHS Storage and Disposal Phrases:

P501 - Dispose of contents and container according to the local, city, state and federal regulations.

P411+235 - Store in cool dry place at room temperature away from direct sunlight.

SAFETY DATA SHEET

One Pass Floor Stripper

Page: 2

Printed: 02/17/2026

Revision: 08/13/2024

Supersedes Revision: 08/02/2024

**Potential Health Effects
(Acute and Chronic):**

Prolonged or repeated eye contact may cause conjunctivitis.
Prolonged or repeated skin contact may cause dermatitis.
May cause liver and kidney damage. Effects may be delayed.

Inhalation:

Can cause irritation to mouth, throat, stomach and mucous membranes.

Skin Contact:

Prolonged and/or repeated contact may cause defatting of the skin and dermatitis.

Eye Contact:

Causes severe eye irritation. Causes redness and pain. Eye damage may be delayed.
May cause chemical conjunctivitis and corneal damage.

Ingestion:

May cause nausea, irritation, headaches, discomfort to mouth, throat and stomach if swallowed.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
112-25-4	Ethylene Glycol monoethyl ether	Proprietary	
100-51-6	Benzenemethanol	Proprietary	
122-99-6	Ethylene glycol monophenyl ether	Proprietary	
1310-58-3	Potassium hydroxide	Proprietary	
78-96-6	1-Amino-2-Propanol	Proprietary	

4. First Aid Measures

**Emergency and First Aid
Procedures:**

Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.
Immediately flush skin with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately before reuse. Remove from exposure and move to fresh air immediately. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

In Case of Inhalation:

If breathed in, move person into fresh air. Consult a physician. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact:

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately.

In Case of Eye Contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

In Case of Ingestion:

Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately. Call a poison control center.

Note to Physician:

Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flash Pt: > 212.00 F

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

Hazardous Combustion

Products:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Clean up spills immediately, observing precautions in Protective Equipment section. Absorb on sand or vermiculite and place in closed containers for disposal.

7. Handling and Storage

Precautions To Be Taken in Handling: Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Wash thoroughly after handling. Use with adequate ventilation. Keep container tightly closed. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale.

Precautions To Be Taken in Storing: Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
112-25-4	Ethylene Glycol monoethyl ether			
100-51-6	Benzenemethanol			
122-99-6	Ethylene glycol monophenyl ether			
1310-58-3	Potassium hydroxide		CEIL: 2 mg/m3	
78-96-6	1-Amino-2-Propanol			

Personal Protective Equipment Symbols:



Respiratory Equipment (Specify Type): Always use a NIOSH approved respirator when necessary.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Wear appropriate gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use explosion-proof ventilation equipment. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

SAFETY DATA SHEET

One Pass Floor Stripper

Page: 4

Printed: 02/17/2026

Revision: 08/13/2024

Supersedes Revision: 08/02/2024

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Amber color liquid with citrus fragrance.

pH: ~ 11.500 - 12.50

Melting Point: NE

Boiling Point: >= 212.00 F

Flash Pt: > 212.00 F

Evaporation Rate: NE

Flammability (solid, gas):

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Vapor Pressure (vs. Air or mm Hg): NE

Vapor Density (vs. Air = 1): NE

Specific Gravity (Water = 1): ~ 1.050

Density: ~ 8.75 LB/GA

Bulk density: NE

Solubility in Water: 100%

Saturated Vapor Concentration: NE

Octanol/Water Partition Coefficient:

VOC / Volume: 263.0000 G/L

Autoignition Pt: NE

Decomposition Temperature: NE

Viscosity: NP

Particle Size: NE

Heat Value: NE

Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: ignition sources, flames and sparks. Avoid high temperatures.

Incompatibility - Materials To Avoid: Strong oxidizers, open flame, heat and sparks.

Hazardous Decomposition or Byproducts: Carbon oxides, nitrogen oxides (NOx), Carbon monoxide, Carbon dioxide, Oxides of potassium, hydrogen gas.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions: None.

SAFETY DATA SHEET

One Pass Floor Stripper

Page: 5

Printed: 02/17/2026

Revision: 08/13/2024

Supersedes Revision: 08/02/2024

11. Toxicological Information

Toxicological Information:

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
112-25-4	Ethylene Glycol monoethyl ether				
100-51-6	Benzenemethanol				
122-99-6	Ethylene glycol monophenyl ether				
1310-58-3	Potassium hydroxide				
78-96-6	1-Amino-2-Propanol				

12. Ecological Information

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Limited Quantity.

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: 1760 **Packing Group:** III



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: UN1760, Corrosive Liquid, n.o.s., (Contains Potassium Hydroxide), 8, III.

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: UN1760, Corrosive Liquid, n.o.s., (Contains Potassium Hydroxide), 8, III.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: UN1760, Corrosive Liquid, n.o.s., (Contains Potassium Hydroxide), 8, III.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: UN1760, Corrosive Liquid, n.o.s., (Contains Potassium Hydroxide), 8, III.

15. Regulatory Information

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
112-25-4	Ethylene Glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
100-51-6	Benzenemethanol	CA PROP.65: No; CA TAC, Title 8: No
122-99-6	Ethylene glycol monophenyl ether	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
1310-58-3	Potassium hydroxide	CA PROP.65: No; CA TAC, Title 8: Title 8
78-96-6	1-Amino-2-Propanol	CA PROP.65: No; CA TAC, Title 8: No

SAFETY DATA SHEET

One Pass Floor Stripper

Page: 6

Printed: 02/17/2026

Revision: 08/13/2024

Supersedes Revision: 08/02/2024

16. Other Information

Revision Date: 08/13/2024

Additional Information About This Product: PPE C: safety glasses, gloves, apron.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.