

1. Product and Company Identification

Product Code: 05594
Product Name: SFR Specialty Floor Restorer
Company Name: Genlabs
5568 Schaefer Ave.
Chino, CA 91710
Phone Number: 1 (909)591-8451
Web site address: www.genlabscorp.com
Emergency Contact: Chemtrec 1 (800)424-9300
Recommended Use: Spray Buff Maintainer & Restorer
Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Skin Corrosion/Irritation, Category 3
Serious Eye Damage/Eye Irritation, Category 2B

GHS Signal Word: **Warning**
GHS Hazard Phrases: H316 - Can cause mild skin irritation.
H320 - Causes eye irritation.
GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.
P280- - Wear protective gloves and eye/face protection as specified by the supplier or the competent authority.
GHS Response Phrases: P332+313 - If skin irritation occurs, get medical attention immediately.
P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 - If eye irritation persists, get medical attention immediately.
P301+310 - If swallowed: Immediately call a Poison Center or doctor.
GHS Storage and Disposal Phrases: P501 - Dispose of contents and container according to the local, city, state and federal regulations.
P411+235 - Store in cool dry place at room temperature away from direct sunlight.
Inhalation: May cause respiratory irritation.
Skin Contact: Can cause slight skin irritation with prolonged contact.
Eye Contact: Causes eye irritation. Avoid any eye contact.
Ingestion: Can cause irritation to mouth, throat, stomach and mucous membranes. Do not induce vomiting unless directed by a physician.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
111-90-0	Diethylene glycol monoethyl ether	Proprietary	
25265-77-4	Texanol	Proprietary	
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	Proprietary	

4. First Aid Measures

Emergency and First Aid Procedures:

- In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.
- In Case of Skin Contact:** Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.
- In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid if irritation develops or persists.
- In Case of Ingestion:** Never give anything by mouth to an unconscious person. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a physician.
- Note to Physician:** Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

- Flash Pt:** NE
- Explosive Limits:** LEL: N/A N.E. UEL: N/A N.E.
- Autoignition Pt:** NE
- Suitable Extinguishing Media:** Use water spray, alcohol foam, CO2, dry chemical. Suitable:
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.

- Flammable Properties and Hazards:**
- Hazardous Combustion Products:**

6. Accidental Release Measures

- Environmental Precautions:** Avoid release to the environment.
- Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8.
Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Provide ventilation. Prevent runoff from entering drains, sewers, or streams.

7. Handling and Storage

- Precautions To Be Taken in Handling:** Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing.
- Precautions To Be Taken in Storing:** Store in cool dry place at room temperature away from direct sunlight.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-90-0	Diethylene glycol monoethyl ether			
25265-77-4	Texanol			
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)			

SAFETY DATA SHEET

SFR Specialty Floor Restorer

Page: 3

Printed: 02/16/2026

Revision: 07/17/2018

Supersedes Revision: 09/04/2014

Personal Protective Equipment Symbols:



Respiratory Equipment (Specify Type):

Always use a NIOSH approved respirator when necessary.

Eye Protection:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves:

Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Work/Hygienic/Maintenance Practices:

Wash thoroughly after handling. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Opaque white color liquid with mild solvent odor.
pH:	~ 8.00 - 10.00
Melting Point:	NE
Boiling Point:	>= 212.00 F
Flash Pt:	NE
Evaporation Rate:	NE
Flammability (solid, gas):	
Explosive Limits:	LEL: N/A N.E. UEL: N/A N.E.
Vapor Pressure (vs. Air or mm Hg):	NE
Vapor Density (vs. Air = 1):	NE
Specific Gravity (Water = 1):	~ 1.010
Density:	~ 8.42 LB/GA
Bulk density:	NE
Solubility in Water:	100%
Saturated Vapor Concentration:	NE
Octanol/Water Partition Coefficient:	
VOC / Volume:	0.0000 GL
Autoignition Pt:	NE
Decomposition Temperature:	NE
Viscosity:	NP
Particle Size:	NE
Heat Value:	NE
Corrosion Rate:	NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - None.

Instability:

Incompatibility - Materials To Avoid: Strong oxidizers, ammonia, bleach, strong acids and strong alkali materials.

Hazardous Decomposition or Byproducts: Carbon monoxide, Carbon dioxide.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information:

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
111-90-0	Diethylene glycol monoethyl ether				
25265-77-4	Texanol				
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)				

12. Ecological Information

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

SAFETY DATA SHEET

SFR Specialty Floor Restorer

Page: 5

Printed: 02/16/2026

Revision: 07/17/2018

Supersedes Revision: 09/04/2014

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
111-90-0	Diethylene glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
25265-77-4	Texanol	CA PROP.65: No; CA TAC, Title 8: No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.

16. Other Information

Revision Date: 07/17/2018

Additional Information About This Product: PPE C: safety glasses, gloves, apron.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.