

Lightning Fast Premium Stripper

Printed: 09/23/2026

Revision: 09/23/2026

Supersedes Revision: 05/20/2026

This SDS complies with the US OSHA HCS 2012.

1. Product and Company Identification

Product Code: 01949
Product Name: Lightning Fast Premium Stripper
Company Name: Genlabs
5568 Schaefer Ave.
Chino, CA 91710
Phone Number:
1 (909)591-8451
Web site address: www.genlabscorp.com
Emergency Contact: Chemtrec
1 (800)424-9300

Recommended Use: Floor Stripper
Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 1B
Serious Eye Damage/Eye Irritation, Category 2B



GHS Signal Word: **Danger**

GHS Hazard Phrases:
H332 - Harmful if inhaled.
H302 - Harmful if swallowed.
H312 - Harmful in contact with skin.
H314 - Causes severe skin burns and eye damage.
H320 - Causes eye irritation.

GHS Precautionary Phrases:
P271 - Use only outdoors or in a well-ventilated area.
P261 - Avoid breathing fumes and spray mist.
P264 - Wash hands thoroughly after handling.
P102 - Keep out of reach of children.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P260 - Do not breathe dust, fumes, mist, vapors, spray.

GHS Response Phrases:
P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell.
P302+352 - If on skin (or in hair): Wash with plenty of soap and water.
P363 - Wash contaminated clothing before reuse.
P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

GHS Storage and Disposal Phrases:
P411+235 - Store in cool dry place at room temperature away from direct sunlight.
P501 - Dispose of contents and container according to the local, city, state and federal regulations.

Lightning Fast Premium Stripper

Printed: 09/23/2026

Revision: 09/23/2026

Supersedes Revision: 05/20/2026

**Potential Health Effects
(Acute and Chronic):**

Prolonged or repeated eye contact may cause conjunctivitis.
Prolonged or repeated skin contact may cause dermatitis.
Effects may be delayed.

Inhalation:

Irritating to the nose, throat and respiratory tract. Avoid breathing vapors or mists.

Skin Contact:

Irritant. Corrosive, causes skin burning. Avoid prolonged skin contact during handling.

Eye Contact:

Corrosive. Can cause permanent eye damage with contact. Avoid any eye contact.

Ingestion:

Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
111-76-2	Ethylene Glycol Monobutyl Ether	15.0 -30.0 %	
1310-73-2	Sodium hydroxide	5.0 -10.0 %	
78-96-6	1-Amino-2-Propanol	5.0 -10.0 %	

4. First Aid Measures**Emergency and First Aid****Procedures:****In Case of Inhalation:**

Get medical aid immediately. Remove from exposure and move to fresh air immediately.

In Case of Skin Contact:

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation or rash occurs, seek medical attention.

In Case of Eye Contact:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed.

In Case of Ingestion:

Get medical aid immediately. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person.

Note to Physician:

Treat symptomatically and supportively.

5. Fire Fighting Measures**Flash Point:**

NE

Explosive Limits:

LEL: N.E. UEL: N.E.

Autoignition Pt:

NE

Suitable Extinguishing Media: Dry chemical, CO2, alcohol-resistant foam or water spray.

Fire Fighting Instructions:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

**Flammable Properties and
Hazards:**

No data available.

Hazardous Combustion

No data available.

Products:

Lightning Fast Premium Stripper

Printed: 09/23/2026

Revision: 09/23/2026

Supersedes Revision: 05/20/2026

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.
Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Prevent runoff from entering drains, sewers, or streams.

7. Handling and Storage

Precautions To Be Taken in Handling: Do not get in eyes, on skin, or on clothing. Keep away from heat, sparks and flame. Do not ingest or inhale. Wash thoroughly after handling. Do not breathe dust, mist, or vapor. Keep container tightly closed. Discard contaminated shoes. Remove contaminated clothing and wash before reuse. Use only with adequate ventilation.

Precautions To Be Taken in Storing: Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-76-2	Ethylene Glycol Monobutyl Ether	PEL: 50 ppm	TLV: 20 ppm	No data.
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
78-96-6	1-Amino-2-Propanol	No data.	No data.	No data.

Personal Protective Equipment Symbols:



Respiratory Equipment (Specify Type):

Always use a NIOSH approved respirator when necessary.

Eye Protection:

Goggles and face shield.

Protective Gloves:

Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Use with adequate ventilation.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Amber colored liquid with solvent fragrance.

pH: ~ 12.00 - 14.00

Melting Point: NE

Boiling Point: >= 212.00 F

Flash Point: NE

Evaporation Rate: Not established

Flammability (solid, gas): No data available.

Explosive Limits: LEL: N.E. UEL: N.E.

Vapor Pressure: Not established

Vapor Density (vs. Air=1): Not established

Specific Gravity (Water=1): ~ 1.040

Density: ~ 8.67 LB/GA

Bulk density: Not established

Solubility in Water: 100%

Lightning Fast Premium Stripper

Printed: 09/23/2026

Revision: 09/23/2026

Supersedes Revision: 05/20/2026

Saturated Vapor Not established

Concentration:

Octanol/Water Partition No data.

Coefficient:

VOC / Volume: 310.0000 G/L

Autoignition Pt: NE

Decomposition NE

Temperature:

Viscosity: Not applicable

Particle Size: Not established

Heat Value: Not established

Corrosion Rate: Not established

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - No specific conditions to avoid noted.

Instability:

Incompatibility - Materials To Strong oxidizing agents, Strong acids.

Avoid:

Hazardous Decomposition or CO, CO2.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other CAS# 111-76-2: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to humans.

Information:

California: Not listed.

NTP: Not listed.

IARC: Not listed. CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 75-31-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
111-76-2	Ethylene Glycol Monobutyl Ether	n.a.	3	A3	n.a.
1310-73-2	Sodium hydroxide	n.a.	n.a.	n.a.	n.a.
78-96-6	1-Amino-2-Propanol	n.a.	n.a.	n.a.	n.a.

Lightning Fast Premium Stripper

Printed: 09/23/2026

Revision: 09/23/2026

Supersedes Revision: 05/20/2026

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Quart: Limited quantity.
Gallon or higher: NA1760, Compounds, Cleaning Liquid, (Contains Potassium Hydroxide), 8, II.

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: NA1760 **Packing Group:** II



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Potassium Hydroxide), 8, II.

UN Number: NA1760 **Packing Group:** II

Hazard Class: 8 - CORROSIVE **TDG Classification:**

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Potassium Hydroxide), 8, II.

UN Number: NA1760 **Packing Group:** II

Hazard Class: 8 - CORROSIVE

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Potassium Hydroxide), 8, II.

UN Number: NA1760 **Packing Group:** II

Hazard Class: 8 - CORROSIVE

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
111-76-2	Ethylene Glycol Monobutyl Ether	No	No	Yes-Cat. N230
1310-73-2	Sodium hydroxide	No	Yes 1000 LB	No
78-96-6	1-Amino-2-Propanol	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
111-76-2	Ethylene Glycol Monobutyl Ether	CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIa, H
1310-73-2	Sodium hydroxide	CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIb, H
78-96-6	1-Amino-2-Propanol	CA PROP.65: No; CA TAC, Title 8: No

SAFETY DATA SHEET

Lightning Fast Premium Stripper

Page: 6

Printed: 09/23/2026
Revision: 09/23/2026
Supersedes Revision: 05/20/2026

16. Other Information


Revision Date: 09/23/2026

Previous revision: 05/20/2026

Hazard Rating System:

HEALTH		2
FLAMMABILITY		0
REACTIVITY		0
PPE		F

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.